



DSTITAC LED Lights Grille Spotlights






TLGL-7



Light Source	Color Temp. (K)	Input	Lumen (lm)	Material	L (mm)	W (mm)	H (mm)
7x1W	2700-6500	AC 100-240V 50Hz/60Hz	500	Aluminum	140	140	130




TLGL-14



Light Source	Color Temp. (K)	Input	Lumen (lm)	Material	L (mm)	W (mm)	H (mm)
14x1W	2700-6500	AC 100-240V 50Hz/60Hz	1000	Aluminum	245	140	130



TLGL-21




Light Source	Color Temp. (K)	Input	Lumen (lm)	Material	L (mm)	W (mm)	H (mm)
21x1W	2700-6500	AC 100-240V 50Hz/60Hz	1500	Aluminum	350	140	130






TLGLC-10



Light Source	Color Temp. (K)	Input	Lumen (lm)	Material	L (mm)	W (mm)	H (mm)
10W	2700-6500	AC 100-240V 50Hz/60Hz	600	Aluminum	194	194	135




TLGLC-15



Light Source	Color Temp. (K)	Input	Lumen (lm)	Material	L (mm)	W (mm)	H (mm)
15W	2700-6500	AC 100-240V 50Hz/60Hz	1200	Aluminum	356	194	135



TLGLC-20



Light Source	Color Temp. (K)	Input	Lumen (lm)	Material	L (mm)	W (mm)	H (mm)
20W	2700-6500	AC 100-240V 50Hz/60Hz	1800	Aluminum	490	194	135